



Top Notch Dock and Door
3743 Old Flowery Branch Rd
Oakwood, GA 30566
(770) 561-1369

BILL TO

City Of Smyrna Station #1
2620 Atlanta Road
Smyrna, GA 30080 USA

ESTIMATE
58034331

ESTIMATE DATE
Jun 06, 2024

JOB ADDRESS

City of Smyrna
2800 King Street Southeast
Smyrna, GA 30080 USA

Job:

SERVICE	DESCRIPTION	QTY	PRICE	TOTAL
Labor to install	Technician Labor to Install New DE FF300 BIFOLD DOOR. Includes low voltage electrical work.	3.00	\$6,500.00	\$19,500.00
Labor to install	Technician Labor to Remove and Haul Off Existing Door, Prep Openings	3.00	\$1,000.00	\$3,000.00
Forklift	Job requires a forklift	1.00	\$1,900.00	\$1,900.00

Materials

MATERIAL	DESCRIPTION	QUANTITY	YOUR PRICE	YOUR TOTAL
Material	Opening Size: 12' -0" Wide by 14'-0" High Model: FF300 Glazed, Interior Mounted, Power Operated 1. Door Panels and Hardware - 2 1/8 inches thick constructed from 11-gauge (minimum) structural steel tubing - 16 Gauge steel sheeting interior and exterior. Sheeting shall be formed on the vertical edges with no visible welds on the interior or exterior panel faces. - Fiberglass Batt Insulation between all gaps in panel framing (Excludes insulation inside of tube frame) - Jamb hinges shall be dual shear and have two thrust bearings and two needle bearings. - Fold hinges shall be dual shear with two thrust bearings. Fold hinges shall be stainless steel - Full Perimeter weather seals with no exposed fasteners on the	3.00	\$47,660.00	\$142,980.00

exterior.

- Connecting Rod disconnects for manual operation
- Jamb hinge guards: 48" tall yellow acrylic

2. Glazing

- Approximate Glass Size: 23" Wide by 46" Tall each (layout #6)
- Qty per panel: 3
- 1" Insulated Glass: Pilkington's Energy Advantage Low-E
- Exterior Pane: Clear (no tint)
- Glass is shipped loose and requires field installation and caulking

3. Operator and Controls

- Overhead mounted Electro-mechanical operator with limit switches. Requires 18" of headroom
- Incoming electrical is: 208-230VAC; 60 Hz; 3 Phase
- Control panel includes VFD to allow speed adjustment
- Electric safety edges: Monitored
- NEMA 4 control panel with programmable door logic controller, pushbuttons and power disconnect switch
- (1) NEMA Type 4 Push Button Station Surface mount
- (1) Light curtain photo eye, 72in tall, model Telco SG-13
- (1) Interior presence sensor, Model IS40P - Center Mounted
- Includes inputs for radio receivers (radio receivers and transmitters to be coordinated and furnished by door installer)

4. Finishes

- Factory finish: Epoxy primer followed by polyurethane finish paint. Customer to select from PPG's standard RAL color deck
- Operator and connecting rods shall be powder coated manufactures standard gray.
- Tracks shall be G90 Galvanized

5. Manufacturer's standard warranty

6. Surface mounted tube frame: 6 x 4 pre-hung frame, designed to anchor to Masonry wall construction. All hinges, track supports and operator supports are factory attached.

7. Includes forklift install bracket and hinge-mount lifting plate for installation

8. Design Criteria:

- Doors are designed for 120mph 3 second Gust per ASCE 7-16

POTENTIAL SAVINGS	\$0.00
SUB-TOTAL	\$167,380.00
TAX	\$0.00
TOTAL	\$167,380.00

Thank you for choosing Top Notch Dock and Door

CUSTOMER AUTHORIZATION

THIS IS AN ESTIMATE, NOT A CONTRACT FOR SERVICES. The summary above is furnished by Top Notch Dock and Door as a good faith estimate of work to be performed at the location described above and is based on our evaluation and does not include material price increases or additional labor and materials which may be required should unforeseen problems arise after the work has started. I understand that the final cost of the work may differ from the estimate, perhaps materially. THIS IS NOT A GUARANTEE OF THE FINAL PRICE OF WORK TO BE PERFORMED. I agree and authorize the work as summarized on these estimated terms, and I agree to pay the full amount for all work performed.

Sign here

Date

TOP NOTCH DOCK & DOOR

3743 Old Flowery Branch Rd Oakwood, GA 30566
Commercial Garage Door Repair & Installation



City of Smyrna Bi-Fold Door Bid Cover Page

Please accept the attached bid package as a confirmation of our interest to providing the new Door Engineering Bi-Fold Doors for City of Smyrna Fire Station #1.

3 municipal references are in Bid Package

Organizational Chart:

Brandon Blum – President

Jason Hower – General Manager – Has managed all sales and installations of jobs on reference sheet. 6 Years with Company

Derek Baker – Sales Executive – Sold all Bifold Projects on Reference Sheet

Scope of Services – We will remove existing sectional doors, prepare openings for install of bifold doors, and provide a commissionable install of new bi-fold doors.

Timeline – 16 weeks estimated production time, 2 week installation time maximum

List of Current Projects – City Of East Point is a current project of replacing all doors on 4 stations with new Door Engineering Bi-Fold Doors. Jason is GM and Derek is Sales Executive.

Installation Warranty is for 12 months from installation date.



PROPOSAL PRICING FORM

RFP 24-033

REPLACEMENT OF SMYRNA FIRE DEPARTMENT BAY DOORS FOR STATION 1

COMPANY TOP NOTCH DOCK AND DOOR
ADDRESS: 3743 OLD FLOWERY BRANCH RD OAKWOOD GA 30566
CONTACT: DEREK BAKER PHONE 770-561-1110
EMAIL: derek.baker@topnotchdockanddoor.com

The TOP NOTCH DOCK AND DOOR Company submits the following proposal for

RFP 24-033 Replacement of Smyrna Fire Department Bay Doors for Station 1.

A. TOTAL COST FOR COMPLETE PROJECT:

\$ 167380.00

B. MUST Provide a Line-Item Price Sheet listing all components and pricing of the Project.

C. Please indicate the number of Calendar Days anticipated to complete the work.

112 Calendar Days Anticipated Project Length

This Pricing Form Submitted and Signed by a Representative with Authority to submit and support the bid.

Submitted By: 

Printed Name: DEREK BAKER

Title: SALES EXECUTIVE

Date: 6/6/24

Please complete and submit the Acknowledgements below:

ACKNOWLEDGEMENTS

- X We acknowledge that we take no exceptions to the terms or specifications.
- OR**
- We acknowledge that we do take exceptions to the terms or specifications and an itemized list of exceptions is attached.
- We acknowledge that we have read and signed the Contractor and Subcontractor Affidavits.

TOP NOTCH DOCK AND DOOR

Company Name



Signature

DEREK BAKER

Printed Name

SALES EXECUTIVE

Title

Date 6/6/24



City of Smyrna, Georgia

CONTRACTOR AFFIDAVIT AND AGREEMENT

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. §13-10-91 (b) (1), stating affirmatively that the individual, firm, or corporation which is engaged in the physical performance of services on behalf of the City of Smyrna has registered with and is participating in a federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicability provisions and deadlines established in O.C.G.A. 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91 (b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

807329

8 / 19 / 14

EEV/ Federal Work Authorization User Identification Number

Date of Authorization

Name of Contractor TOP NOTCH DOCK AND DOOR

Name of Project STATION 1 BI FOLD DOORS Public Employer CITY OF SMYRNA

I hereby declare under penalty of perjury that the foregoing is true and correct.

BY: Authorized Officer or Agent

DEREK BAKER - SALES EXECUTIVE

Printed Name and Title of Authorized Office or Agent


SUBSCRIBED AND SWORN

BEFORE ME ON THIS THE

7 DAY OF June / 2024

Notary Public

My Commission Expires: March 10, 2025





City of Smyrna, Georgia

SUBCONTRACTOR AFFIDAVIT AND AGREEMENT

By executing this affidavit, the undersigned subcontractor verifies its compliance with O.C.G.A. §13-10-91 (b) (1), stating affirmatively that the individual, firm, or corporation which is engaged in the physical performance of services on behalf of the City of Smyrna has registered with and is participating in a federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicability provisions and deadlines established in O.C.G.A. 13-10-91. Furthermore, the undersigned subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned subcontractor will contract for the physical performance of services in satisfaction of such contract only with sub subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91 (b). Subcontractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

_____/_____/_____
EEV/ Federal Work Authorization User Identification Number Date of Authorization

Name of Sub-Contractor _____ NA

Name of Project _____ Public Employer _____

I hereby declare under penalty of perjury that the foregoing is true and correct.

BY: Authorized Officer or Agent

Printed Name and Title of Authorized Office or Agent

SUBSCRIBED AND SWORN

BEFORE ME ON THIS THE

____ DAY OF _____ / _____

Notary Public

My Commission Expires:

VENDOR QUESTIONNAIRE

Questionnaire must be completed by ALL Vendors and returned with Proposal response. Any additional pages provided should be clearly labeled.

1. How long have you been in business?

15 YEARS

2. Give us background information on your company, including the number of employees available to service the City of Smyrna, the closest office location, as well as any financial ratings and reports available. Separate attachment is acceptable.

- A. How many employees are available to service the City of Smyrna?

40

- B. Please provide the name and address of your local office:

3743 OLD FLOWERY BRANCH RD OAKWOOD GA 30566

3. Have you done similar business with other governmental agencies in the past three (3) years?

Yes ☒ No ☐

If yes, name agency and volume and total value of projects:

SANDY SPRINGS FIRE STATIONS 2 - \$212000

SANDY SPRINGS FIRE STATION 5 - \$80142

MILTON STATION 42 - 168457

CLIENT REFERENCE SHEET

References from Clients (preferably including government clients) must be provided by ALL responding Vendors using the form below. It is the vendor's responsibility to provide **COMPLETE** and **ACCURATE** reference information on the form below, **INCLUDING FAX NUMBERS AND EMAIL ADDRESSES**.

1. CITY OF SANDY SPRINGS FIRE

Company

1 Galambos Way, Sandy Springs, Georgia 30328

Address, City, State, Zip Code

770-362-5997

770-206-1420

Telephone Number

REGINALD MCCLENDON

Fax Number

RMcClendon@sandyspringsga.gov

Name of Contact Person

E-Mail Address

Type of Project New Bi-fold Door Installations

Dates: Jan 2023

Cost: \$ 212000

2. EAST POINT FIRE DEPARTMENT

Company

2757 EAST POINT STREET EAST POINT, GA 30344

Address, City, State, Zip Code

404-989-6710

404-765-1014

Telephone Number

Sidney Gooden

Fax Number

sgooden@EastPointCity.org

Name of Contact Person

E-Mail Address

Type of Project Bi-Fold Door Replacements

Dates: 8/2024

Cost: \$ 896000

3. CITY OF MILTON FIRE

Company

2006 Heritage Walk, Milton, GA 30004

Address, City, State, Zip Code

678-242-2500

678-242-2499

Telephone Number

Gabriel. H Benmoussa

Fax Number

info@miltonga.gov

Name of Contact Person

E-Mail Address

Type of Project New Bi-fold Installation

Dates: 02/2024

Cost: \$ 168457

SEALED PROPOSAL

DO NOT OPEN

Deliver to: City of Smyrna Purchasing
2800 King Street
Smyrna, GA 30080

Vendor: TOP NOTCH DOCK AND DOOR

RFP 24-033 REPLACEMENT OF SMYRNA FIRE DEPARTMENT BAY DOORS FOR STATION 1

Proposals Due: Friday, June 7, 2024 – 10:00 AM



**THE CITY OF SMYRNA
2800 KING STREET
SMYRNA, GEORGIA 30080**

Friday, May 24, 2024

RFP 24-033 Replacement of Smyrna Fire Department Bay Doors for Station 1

BID DUE DATE: Friday, June 7, 2024 – 10:00 AM

ADDENDUM 1

The contents of this Addendum are fully incorporated into the original RFP.

1. Does the town really want a Bid bond and a P&P Bond or is that boiler plate with all solicitations? These requirements aren't listed in the submittal requirements on Pages 7-8?

This is a Request for Proposal, and a bid bond is not required. A performance bond will be required from the selected vendor.

2. Comparable solution for four-fold bay doors?

The City of Smyrna Fire Department will evaluate comparable solutions / manufacturers for the four-fold doors replacement for Station 1.

Please complete and submit this form with your bid response.

ACKNOWLEDGEMENT of ADDENDA

RFP 24-033 Replacement of Smyrna Fire Department Bay Doors for Station 1

 x We acknowledge receipt of Addendum #1.

TOP NOTCH DOCK AND DOOR

Company Name



Signature

DEREK BAKER

Printed Name

SALES EXECUTIVE

Title

6/6/24

Date



**THE CITY OF SMYRNA
2800 KING STREET
SMYRNA, GEORGIA 30080**

Friday, May 31, 2024

RFP 24-033 Replacement of Smyrna Fire Department Bay Doors for Station 1

BID DUE DATE: Friday, June 7, 2024 – 10:00 AM

ADDENDUM 2

The contents of this Addendum are fully incorporated into the original RFP.

The City of Smyrna is requesting additional scope to include replacement of three (3) REAR doors at Fire Station 1.

Proposals shall include the following services.

1. Removing current three (3) Rear Roll-up Sectional Bay doors and all associated hardware.
2. Evaluating removed equipment for serviceability in other roll-up door locations and disposal of remaining equipment.
3. Installing three (3) Door Engineering FF300 doors (or comparable). The contractor shall provide all necessary equipment and material required to remove, dispose, and install three (3) Four-Fold doors.

Provide and install (3) FF300 12x14 window layout 7.

Glazing to be 1" Insulated Glass: Pilkington's Energy Advantage Low-E clear.

Operators to be ordered with 72" light curtains, Nema 4 push button control station, electric safety edges, interior presence sensor, and (2) remote transmitters each.

Finish priced with epoxy primer followed by polyurethane finish paint. Customer to select from manufacturer's standard RAL color chart.

All electrical wiring to include power and low voltage for safety features/wall controls is excluded and to be completed by others.

4. Customer is responsible for verifying existing capabilities of available power in building.

Please complete and submit this form with your bid response.

ACKNOWLEDGEMENT of ADDENDA

RFP 24-033 Replacement of Smyrna Fire Department Bay Doors for Station 1

 X We acknowledge receipt of Addendum #2.

TOP NOCTH DOCK AND DOOR

Company Name



Signature

DEREK BAKER

Printed Name

SALES EXECUTIVE

Title

Date 6/6/24