











COPYRIGHT 2017	
DRAWN BY:	J.H.
CHECKED BY:	J.H.
DATE	10/04/17
REVISED	
NO.	DATE
101	06/22/18








SQUARE FOOTAGE	
GARAGE FLOOR	1,096 SQ. FT.
SECOND FLOOR	768 SQ. FT.



## PLANS RELEASED FOR CONSTRUCTION



## TYPICAL FOUNDATION TO EAVE SECTION

SCALE : 1 1/2" = 1'-0"

3000 PSI LOAD VALUE OF SOIL

3000 PSI CONCRETE

3000 PSI LOAD VALUE OF SOIL

3000 PSI CONCRETE

PLANS RELEASED FOR CONSTRUCTION

3780 Autumn Place  
Smyrna, Ga. 30082  
Phone: 678-687-8038

**CADD**  
DRAFTING  
SERVICES  
LLC

3393 PRETTY BRANCH DRIVE  
SMYRNA, GA 30080

ANDERSON RESIDENCE

COPYRIGHT 2017

DRAWN BY: J.H.

CHECKED BY: J.H.

DATE 10/04/17


REVISED

NO. DATE

101 06/22/18


sheet no.

D-1




1 TURN DOWN SLAB W/ BRICK OR STONE

SCALE : 1" = 1'-0"



2 THICKENED SLAB / GRADE BEAM

SCALE : 1" = 1'-0"



3 TURN DOWN SLAB @ GARAGE / DRIVEWAY

SCALE : 1" = 1'-0"

